

Welding Helmets

Huntsman® 900 Series Ultra-light®

Features:

- Our lightest-weight, durable, washable, thermoplastic shell.
- Original Huntsman® shape.
- Huntsman® “Contour Comfort” double-lock headgear and patented Zahnlok™ size adjustment system.



929 Part No. #25070

- Inspectors model.
- Shell and lens, no headgear.
- Front-mounted handle.



981P Part No. #25067

- Molded standard window.
- Available with Solex® 2100 auto-darkening lens. #25044



911P Part No. #25067

- Aluminum glassholder.
 - Order with factory installed auto-darkening lens.
- w/1100BVL™ #25141
w/1105BL™ #25142



shown with
1105VXL

951P

- Nearly 24 square inch viewing area.
 - Big Window® lens for maximum visibility.
 - Order with factory installed auto-darkening lens.
- w/standard lens #25066
w/1105VXL™ #25140
w/1105VS™ #25139

Anser™

- Fitted with our newest design EasyCartridge™ exterior slide-out cartridge for quicker, more convenient lens changes & decreased down-time.
- Slide out mechanism allows safety plate replacement from the exterior of the helmet and saves time.
- Allows for a variety of lenses to be used in a single helmet.
- Great ear coverage.
- Lightweight with great balance.
- Big Window® lens for maximum visibility. The Big Window® offers nearly 24 square inches of view area (with standard lens). We've taken a standard 5¼" x 4½" welding lens and placed it vertically to give you the best possible view.

Patent Pending



930P Part No. #25065

Injection molded thermoplastic lift-front glassholder.



990P Part No. #25068

- Quick-Slide™ glassholder.
- Zahnlok™ “Contour Comfort” double-lock headgear.



- Anser™ helmet w/standard lens #25190
- Anser™ helmet w/1105 VXL™ #25192
- Anser™ helmet w/1100 IVXL™ #25193
- Anser™ helmet w/Solex® 180 #25194



shown with 1105IVXL™ lens #25193



Replacement Easy Cartridge™ with standard lens and cover plate #25191

Huntsman® Model 1000 Inslider®

- Patented Inslider® design-filter lens and lift mechanism are inside helmet, protected from dust, dirt and breakage.
- “Flick-of-the-finger” lift mechanism inside helmet for improved balance and greater comfort.
- Lightweight, durable thermoplastic shell.
- Big Window® viewing area.
- Huntsman® “Contour Comfort” headgear and patented Zahnlok™ size adjustment system.



#30064

Huntsman® 100 Series

- Tough, lightweight, washable fiberglass shell designed for heavy duty use indoors or out.
- Original Huntsman® shape.
- "Contour Comfort" double-lock headgear with our patented Zahnlok™ size adjustment system.
- High temperature applications.



151P Part No. #25007
Big Window® vertically-mounted standard 5¼" x 4½" lens for nearly 24 square inches of viewing area.



130P Part No. #25006
Convenient, easy-to-use, lift-front, injection-molded, thermoplastic glassholder.



111P Part No. #25001

- Aluminum glassholder.
- Zahnlok™ headgear.



190P Part No. #25059
Quick Slide™ glassholder for convenient "flick of the finger" operation.

Huntsman® 400 Series

- Heat-resistant vulcanized fiber shell for comfortable, cool, heavy-duty welding.
- Lightest-weight helmet in the Huntsman® line.
- Huntsman® "Contour Comfort" headgear and patented Zahnlok™ size adjustment system.
- Unique to Huntsman® line of helmets.

Note: In some damp or wet environments, scotchguarding the 400 series prolongs useful life.



411P

- Aluminum glassholder.
- Available with Solex® 2100 installed. auto-darkening lens. #25043
- With standard lens. #25023



451P Part No. #25030
Big Window® vertically mounted 5¼" x 4½" lens for improved visibility.



490P Part No. #25062 "Flick-of-the-finger" Quick Slide™ glassholder.



430P Part No. #25029
Easy-to-use lift-front glassholder.

Huntsman® 500 Series

- Tough, washable, contoured "Bucket Shape" molded thermoplastic shell.
- Huntsman® "Contour Comfort" headgear and patented Zahnlok™ size adjustment system.



511P Part No. #25034
Molded glassholder.



530P Part No. #25063
Convenient lift-front glassholder.



551P Part No. #25038
Molded large window horizontally mounted standard 5¼" x 4½" glassholder.

Welding Helmets & Electronic Lenses

Huntsman® 800 Series Leather Helmets

- Tough, pliable, breathable leather covering.
- Huntsman® "Contour Comfort" headgear and patented Zahnlok™ size adjustment system.



860P Part No. #25052

- Lift-front glassholder.

860-2 Part No. #25055

- Small size helmet with lace back.
- No headgear.

851P Part No. #25056

- Big Window® lens.

Huntsman® 700 Series

- Designed for use in Acetylene (gas) welding and cutting.
- Lightweight, heat-resistant vulcanized fiber shell.
- Shipped without filter plate.



#25048

711P Part No. #25048

- Aluminum glassholder.

751P Part No. #25071

- Big Window® model.

Huntsman® takes welding lens filter technology out of the dark ages

AutoView® filters allow you to leave your helmet down and your protection in place. When you're not welding, they stay at a light-fixed shade for good visibility. AutoView® filters automatically darken in less than 1/25,000 of a second. Four sensors at separate points on the lens increase your ability to weld around obstacles, making it possible to move your head side to side or up and down without lens flutter. After 20 minutes without an arc, it shuts off automatically.



AutoView® 1100IVXL™

Same features as VXL, includes special brackets to fit most Big Window® helmets. Fits all Huntsman® Big Window® and most manufacturer's large window helmets.

- Dark to light delay of 0.1 to .25 of a second.
- Sensitivity adjustment for low amp TIG to sunlight.
- 2 Sensors and operates on two AAA alkaline batteries.
- Clear state 2.75

Part No. #33089

AutoView® with 4 sensors 1105VXL™ 4x4

The AutoView® VXL™ is the most advanced electronic lens on the market. Fits all Huntsman® Big Window® and most manufacturer's large window helmets.

- 2.4" x 3.8" viewing area, the largest available.
- Infinitely adjustable 9 to 12 dark shade.
- Delay control for different types of welding.
- Dark to light delay of 0.1 to .25 of a second.
- Sensitivity adjustment for low amp TIG to sunlight.
- Item has 2 or 4 sensors and operates on 2 AAA alkaline batteries.
- Clear state 2.75

Part No. #33097

AutoView® 1105VLS™

The VLS has a 2" x 4" viewing area. Fits all Huntsman® Big Window® Model 951P helmets. Fits Model 451P and 151P helmets manufactured after July 9, 1994.

- Clear state of 2.75, with a dark shade adjustable from 9 to 12.
- Dark to light delay of 0.1 to .25 of a second.
- Sensitivity adjustment for low amp TIG to sunlight.
- 2 sensors and operates on 2 AAA alkaline batteries.

Part No. #33098

AutoView® 1105VS™

The VS has a 2" x 4" viewing area. Fits all Huntsman® Big Window® Model 951P helmets. Fits Model 451P and 151P helmets manufactured after July 9, 1994.

- Clear state of 4.0, with a dark shade adjustable from 9 to 12.
- Dark to light delay of 0.1 to .25 of a second.
- Sensitivity adjustment for low amp TIG to sunlight.
- 2 sensors and operates on 2 AAA alkaline batteries.

Part No. #33099



951P with
AutoView®1105VXL™
installed.
#25140

AutoView® Basic™

2" x 4 1/4" Basic is our most affordable AutoView® filter.
Fits Huntsman® Model 111P, 411P, and 911P helmets made since April, 1994.

1100BVL™ Variable Shade
• Operates on two AAA batteries.
• Clear state is shade 2.75. #30085

#30085



1105BL™ Shade 10
• Operates on two AAA batteries.
• Clear state is shade 2.75. #30100

#30100



911P with AutoView®
1100BL™ installed.
#25142

AutoView® Universal Electronic Lenses

AutoView® Universal electronic welding lenses are adaptable to most welding helmets. They come complete with both horizontal and vertical adapters and are available in single, as well as variable shades. These lenses provide a viewing area approximately 1.58" x 3.86". Fits all Huntsman® Big Window® and most manufacturer's large window helmets.

1400VLS™ 4x4 Variable Shade - #30118
• Variable shade, clear state of 2.75 with four sensors.

1400VLS™ Variable Shade - #30117
• Variable shade, clear state of 2.75 with two sensors.



#30118

1200FLS™-10 4x4 Shade 10 - #30116
• This lens has a shade 2.75 clear state with four sensors.

1200FLS™-10 Shade 10 - #30113
• This lens has a shade 2.75 clear state with two sensors.



#30116



#30110

1200F™-10 Shade 10 - #30110
• This lens has a shade 4 clear state with two sensors.


Solex® Electronic Lenses

Solex® lenses provide a solar-powered alternative to traditional battery-operated electronic lenses. They are lightweight and thinner than battery-operated lenses and fit most Huntsman® welding helmets as well as many major competitors' helmets.


Solex® 190 - #30095
• Fits 4 1/2" x 5 1/4" lens holders with a 2.4" x 3.8" viewing area, available only in shade 10.5, with a clear state of 3.
• This lens fits all horizontal lens holders.

Solex® 2100 - #30091
• Fits 2" x 4 1/4" lens holders only. Comes exclusively in shade 10/11, with a clear state in shade 2.75.
• This lens fits Huntsman® 111P, 411P, 911P and many other brands of 2" x 4 1/4" lens holders.
• Newest member of the Solex® line.

Solex® 150 - #30093
• Fits 5 1/4" x 4 1/2" vertical-fit lens holders. It is only available in shade 10.5 with a clear state of 3.
• This lens fits Huntsman® 151P, 451P and 951P as well as other brands of 4 1/2" x 5 1/4" vertical lens holders.




#30095



#33103

Solex® 180 - #30094
• Fits 5 1/4" x 4 1/2" lens holders with a 2.4" x 3.8" viewing area, available only in shade 10.5, with a clear state of 3.
• This lens fits all vertical lens holders.

Solex® 160 - #33103
• Fits 4 1/2" x 5 1/4" horizontal-fit lens holders. It is only available in shade 10.5 with a clear state of 3.
• This lens fits Huntsman® 551P and other brands of 4 1/2" x 5 1/4" horizontal lens holders.



#30091



411P with
Solex® 2100
installed.
#25043

Lenses and Safety Plates

Cover Lenses

Item No.	Part No.	Size	Material	Type	Standard Packing
40089	339	2" x 4 1/4"	Thermally Set Plastic	Cover Lens	50/box
40093	339-L	4 1/2" x 5 1/4"	Thermally Set Plastic	Cover Lens	1/box
40091	339-50	50 mm	Thermally Set Plastic	Cover Lens	50/box
40013	235-4	4 1/2" x 5 1/4"	.040" Polycarbonate	Back Cover Plate	50/box

Safety Plates

Item No.	Part No.	Size	Material	Type	Standard Packing
40015	235-6	4 1/2" x 5 1/4"	.060" Polycarbonate	Safety/Cover Lens	50/box
40168	435-6	2" x 4 1/4"	.060" Polycarbonate	Safety/Cover Lens	50/box

Filter Lenses


Item No.	Part No.	Size	Material	Special	Standard Packing
40027	427 SH. 4	2" x 4 1/4"	Polycarbonate	High Impact Resistance	25/box
40173	427 SH. 5	2" x 4 1/4"	Polycarbonate	High Impact Resistance	25/box
40031	427 SH. 6	2" x 4 1/4"	Polycarbonate	High Impact Resistance	25/box
40033	427 SH. 8	2" x 4 1/4"	Polycarbonate	High Impact Resistance	25/box
40035	427 SH. 9	2" x 4 1/4"	Polycarbonate	High Impact Resistance	25/box
40037	427 SH. 10	2" x 4 1/4"	Polycarbonate	High Impact Resistance	25/box
40171	427 SH. 11	2" x 4 1/4"	Polycarbonate	High Impact Resistance	25/box
40041	427 SH. 12	2" x 4 1/4"	Polycarbonate	High Impact Resistance	25/box
40017	327 SH. 3	2" x 4 1/4"	Heat Treated Glass	Class B Lens	25/box
40019	327 SH. 4	2" x 4 1/4"	Heat Treated Glass	Class B Lens	25/box
40021	327 SH. 5	2" x 4 1/4"	Heat Treated Glass	Class B Lens	25/box
40123	327 SH. 6	2" x 4 1/4"	Heat Treated Glass	Class B Lens	25/box
40128	327 SH. 8	2" x 4 1/4"	Heat Treated Glass	Class B Lens	25/box
40130	327 SH. 9	2" x 4 1/4"	Heat Treated Glass	Class B Lens	25/box
40131	327 SH. 10	2" x 4 1/4"	Heat Treated Glass	Class B Lens	25/box
40132	327 SH. 11	2" x 4 1/4"	Heat Treated Glass	Class B Lens	25/box
40133	327 SH. 12	2" x 4 1/4"	Heat Treated Glass	Class B Lens	25/box
40057	1127 SH. 5	4 1/2" x 5 1/4"	Polycarbonate	Conforms to Federal Specs	1/box
40058	1127 SH. 9	4 1/2" x 5 1/4"	Polycarbonate	Conforms to Federal Specs	1/box
40059	1127 SH. 10	4 1/2" x 5 1/4"	Polycarbonate	Conforms to Federal Specs	1/box
40060	1127 SH. 11	4 1/2" x 5 1/4"	Polycarbonate	Conforms to Federal Specs	1/box
40061	1127 SH. 12	4 1/2" x 5 1/4"	Polycarbonate	Conforms to Federal Specs	1/box
24001	1027 SH. 5	4 1/2" x 5 1/4"	Heat Treated Glass	Class B Lens	1/box
40001	1027 SH. 9	4 1/2" x 5 1/4"	Heat Treated Glass	Class B Lens	1/box
40003	1027 SH. 10	4 1/2" x 5 1/4"	Heat Treated Glass	Class B Lens	1/box
40005	1027 SH. 11	4 1/2" x 5 1/4"	Heat Treated Glass	Class B Lens	1/box
40007	1027 SH. 12	4 1/2" x 5 1/4"	Heat Treated Glass	Class B Lens	1/box
40156	1227 SH. 4	50 mm	Polycarbonate	Fits 50 mm lens holders	25/box
40157	1227 SH. 5	50 mm	Polycarbonate	Fits 50 mm lens holders	25/box
40158	1227 SH. 6	50 mm	Polycarbonate	Fits 50 mm lens holders	25/box

* Caution for glass filter lenses 327/1027: Glass filter plates are Class B lenses and DO NOT meet high mass or high velocity impact requirements. Risk of injury including, but not limited to, the eyes and face is substantially greater when using glass filter plates. Polycarbonate filter plates provide superior impact protection and are safer to ship, store and handle.

Gold Filter Lenses

Item No.	Part No.	Size	Material	Special	Standard Packing
40135	127 SH. 4	2" x 4 1/4"	Gold Plated Polycarbonate	High Impact Resistant	10/box
40136	127 SH. 5	2" x 4 1/4"	Gold Plated Polycarbonate	High Impact Resistant	10/box
40148	127 SH. 8	2" x 4 1/4"	Gold Plated Polycarbonate	High Impact Resistant	10/box
40149	127 SH. 9	2" x 4 1/4"	Gold Plated Polycarbonate	High Impact Resistant	10/box
40137	127 SH. 10	2" x 4 1/4"	Gold Plated Polycarbonate	High Impact Resistant	10/box
40138	127 SH. 11	2" x 4 1/4"	Gold Plated Polycarbonate	High Impact Resistant	10/box
40139	127 SH. 12	2" x 4 1/4"	Gold Plated Polycarbonate	High Impact Resistant	10/box
40141	927 SH. 10	4 1/2" x 5 1/4"	Gold Plated Polycarbonate	High Impact Resistant	1/box
40142	927 SH. 11	4 1/2" x 5 1/4"	Gold Plated Polycarbonate	High Impact Resistant	1/box
40143	927 SH. 12	4 1/2" x 5 1/4"	Gold Plated Polycarbonate	High Impact Resistant	1/box

Head Gear, Accessories & Face Shields



#80012

Add-A-Vue™ Sliding “Mag” Holder

- Provides convenient “pop-in” holder for a magnifying lens.
- Designed for use in most Huntsman® Big Window® helmets and with all standard plastic magnifying lenses.
- Available for standard 2” x 4¼” windows.
- Unique industrial grade hook and loop Velcro® attachment system allows quick, easy installation.
- Combines the benefits of the wide viewing area of Huntsman’s Big Window® lenses and detailed view magnification.

#80012 - for 151P, 451P, 751P and 951P welding helmets.

#80020 - for 111P, 130P, 411P, 430P, 711P, 911P and 930P welding helmets.

#80014 - for the Jackson® H100A welding helmet.

#80015 - for the Jackson® Shadow® welding helmet.

Plastic Magnifying Plates

- For use in welding helmets and plate-type goggles.
- Provides close vision without glasses.

Part No.	Item No.	Focal Power
40144	M10	1.00
40151	M125	1.25
40145	M15	1.50
40152	M175	1.75
40146	M20	2.00
40153	M225	2.25
40147	M25	2.50



117A Headgear - #35083

- Plastic headgear that fits all Huntsman® helmets.
- Patented Zahnlok™ adjustment system allows adjustment in 1/16” increments for exact fit, simply by turning a knob.
- Teeth are automatically disengaged during adjustment.
- Coolmax® terrycloth sweatband.
- Washable and durable.



Model 2000 Cap Adapter - #30030

- Attaches Model 400L series helmets to almost any safety cap.
- Provides long-term use without reducing the ventilation or comfort of the helmet.



Roto-Clip® for Huntsman® Ram Cap™ #35017

1909 Roto-Clip®

- Lets you attach almost any Huntsman® welding helmet (with nylon lugs) safely and securely to a hard hat.
- Patented positive positioning locking device keeps the helmet in any position you place it.

#35013 - American Allsafe Co.®, Sentry III™ and Polyguard™.

#35096 - Jackson® caps.

#35097 - ERB®

#35098 - MSA V-Gard® caps



Model 4000 Cap Adapter - #30058

- Attaches Model 400L series welding helmets to most styles of safety caps without slots.
- Allows normal function and helmet comfort.
- Quick and easy release.

Face Saver® Face Shields

Huntsman® Face Saver® face shields provide the protection you need and the comfort you deserve. The headgear’s soft, absorbent wraparound foam-cushioned CoolMax® sweatband matched with the patented Zahnlok™ size adjustment system combine total comfort with exacting adjustability. Plus, the contour-comfort shape gently hugs the natural shape of your head while ensuring premium protection.

**Model “C”
Part No. #10200**

- Fits most safety caps.
- Simple “on-off” attachment/replacement.
- Holds a variety of Huntsman® visors.
- Visor sold separately.



**Model “P”
Part No. #10217**

- Enables attachment of a variety of Huntsman® visors to your safety cap.
- Huntsman® locking device holds visor securely in the down position or up out of the way.
- “Turn-button” visor attachment holds visor securely and provides fast, easy attachment and replacement.
- Visor sold separately.



**Model “K” Face Saver®
#10000**

- Ratchet adjusts in 1/16” increments to exact head size.
- “Turn button” visor attachment holds 12” or 15½” visors securely, allowing for fast, easy visor attachment and replacement.
- Holds a variety of Huntsman® visors.
- Visor sold separately.



Model K-10 - #10050

- Pin-lock size adjustment.
- Holds 12” or 15½” visors.

K-Box - #10038

The Model K is available in an attractive point of purchase box.

Face Shields & Visors

This chart will assist you in selecting the correct combination.

Bracket or Headgear	Visor Schedules
Model K	A,B,C,F
K-4	A,B,C,F
K-10	A,B,C,F
Model C	B,C,F
Model H	B,C,F
Model P	B,C,F
8100BRS	B,C,F
8100BRC	B,C,F



Model K-4 Attachment Part No. #10350

- Held firmly on safety caps by heavy-duty clips and springs.
- Spark guard pivot double slopes hold visor in down position.
- Fits on most safety caps.

Model "H" Part No. #10250

- Fits on most full-brim hard hats.
- Huntsman® locking device.
- "Turn button" attachment for quick, convenient visor attachment and replacement.



8100BRC Part No. #10291

- Designed for caps without slots.
- Fits most safety caps.
- Heavy-duty rubber cord holds bracket in place.
- Dielectric



8100BRS Part No. #10290

- Lightweight 100% nylon bracket.
- Pivots and secures in 3 positions.
- Fits Huntsman® and other caps with universal slots.
- Dielectric



Huntsman® Visors (windows) are available in four different plastic materials to allow you to choose the visor that is right for your job. Screen visors are available in 20-mesh steel or 40-mesh brass. Visors are contoured to fit headgears or brackets unless otherwise indicated.

Schedule "A" Visors (windows)

Fits Huntsman® K, K-4, K-10, Glendale™, Jackson®, Sellstrom®.

Item No.	Part No.	Size	Material	Binding	Standard Packing
15009	6124	6" x 12" x .040"	clear acetate	aluminum	24/box
15012	8124	8" x 12" x .040"	clear acetate	aluminum	24/box
15085	8124 Bulk	8" x 12" x .040"	clear acetate	aluminum	50/box
15037	8124L	8" x 12" x .040"	clear acetate	none	24/box
15086	8124L Bulk	8" x 12" x .040"	clear acetate	none	50/box
15038	8124LF	8" x 12" x .040"	clear acetate	none	24/box
15013	8124M	8" x 12" x .040"	medium green acetate	aluminum	24/box
15014	8124D	8" x 12" x .040"	dark green acetate	aluminum	24/box
15087	8124D Bulk	8" x 12" x .040"	dark green acetate	aluminum	50/box
15016	8126	8" x 12" x .060"	clear acetate	aluminum	24/box

Schedule "B" Visors (windows)

Fits Huntsman® K, K-4, K-10, Glendale™, Fibre-Metal®, Jackson® headgear, Huntsman® C, H, P, 8100 BRC, 8100 BRS, Jackson®, Bullard® and AO® H-15 safety cap attachments.

Item No.	Part No.	Size	Material	Binding	Standard Packing
15023	6154	6" x 15.5" x .040"	clear acetate	aluminum	24/box
15026	8154	8" x 15.5" x .040"	clear acetate	aluminum	24/box
15088	8154 Bulk	8" x 15.5" x .040"	clear acetate	aluminum	75/box
15033	8154L	8" x 15.5" x .040"	clear acetate	none	24/box
15078	8154P	8" x 15.5" x .040"	clear polycarbonate	aluminum	24/box
15057	8154PLF	8" x 15.5" x .040"	clear polycarbonate	none	24/box
15027	8154M	8" x 15.5" x .040"	medium green acetate	aluminum	24/box
15035	8154MLF	8" x 15.5" x .040"	medium green acetate	none	24/box
15028	8154D	8" x 15.5" x .040"	dark green acetate	aluminum	24/box
15089	8154D Bulk	8" x 15.5" x .040"	dark green acetate	aluminum	75/box
15036	8154DLF	8" x 15.5" x .040"	dark green acetate	none	24/box
15030	8156	8" x 15.5" x .060"	clear acetate	aluminum	24/box
15069	8156M	8" x 15.5" x .060"	medium green acetate	aluminum	24/box
15039	H9154	9" x 15.5" x .040"	clear acetate	aluminum	24/box
15090	H9154 Bulk	9" x 15.5" x .040"	clear acetate	aluminum	75/box
15040	H9154M	9" x 15.5" x .040"	medium green acetate	aluminum	24/box
15041	H9154D	9" x 15.5" x .040"	dark green acetate	aluminum	24/box
15091	H9154D Bulk	9" x 15.5" x .040"	dark green acetate	aluminum	75/box
15092	H9156-5	8" x 15.5" x .060"	shade 5 propionate	molded	12/box
15051	H9194	9" x 19" x .040"	clear acetate	none	24/box



#15051

Schedule "B" Visors (continued)

Fits Huntsman® headgears and brackets.

Item No.	Part No.	Size	Material	Binding	Standard Packing
15093	10206-5	10" x 20" x .060"	shade 5 propionate	molded	12/box
15095	10206GD	10" x 20" x .060"	gold polycarbonate	molded	1/box
15094	10206S	10" x 20" x .060"	silver polycarbonate	molded	1/box
15031	815BS	8" x 15.5" x 40 mesh	brass screen	aluminum	12/box
15032	815WS	8" x 15.5" x 20 mesh	black steel screen	aluminum	12/box
22029	9154 CHIN	9" x 15.5" x .040"	clear acetate	none	24/box
15076	9204 CHIN	9" x 20" x .040"	clear acetate	none	24/box



Part No. #15032

Schedule "C" Visors (was schedule E)

Fits Huntsman® headgears and brackets.

Item No.	Part No.	Size	Material	Binding	Standard Packing
15084	8154PETGLF	8" x 15.5" x .040"	PETG	none	100/box

Schedule "D" Visors (windows)

H9124 Replaces Dalloz® V-84 Clear only, green available ask for quotation.

Item No.	Part No.	Size	Material	Binding	Standard Packing
15061	H9124	9" x 12" x .040"	clear acetate	aluminum	24/box



Part No. #15061

Schedule "E" Visors (was schedule D)

Replaces Fibre-Metal® 4118 hole pattern visors.

Item No.	Part No.	Size	Material	Binding	Standard Packing
15071	F8124L	8" x 11.5" x .040"	clear acetate	none	24/box
15073	F8124DL	8" x 11.5" x .040"	dark green acetate	none	24/box

Schedule "F" Visors (windows)

Fits Huntsman® Models K, K-4, K-10, Glendale™, Jackson®, Sellstrom® and Fibre Metal® Headgear. Fits Huntsman® Models C, H, P, 8100 BRC, 8100 BRS, Jackson®, Bullard® and AO® H15 Safety Cap Attachments.

Item No.	Part No.	Size	Material	Binding	Standard Packing
15133	8156P	8" x 15.5" x .060"	clear polycarbonate	molded	24/box
15134	8156PG	8" x 15.5" x .060"	gray polycarbonate	molded	24/box
15137	10206P	10" x 20" x .060"	clear polycarbonate	molded	24/box
15138	10206PG	10" x 20" x .060"	gray polycarbonate	molded	24/box
15139	8156PP	8" x 15.5" x .060"	clear propionate	molded	24/box
15140	8156PPG	8" x 15.5" x .060"	gray propionate	molded	24/box
15141	102060PP	10" x 20" x .060"	clear propionate	molded	24/box
15142	10206PPG	10" x 20" x .060"	gray propionate	molded	24/box

Schedule "G" Visors

Fits Jackson® Model 170SB.

Item No.	Part No.	Size	Material	Binding	Standard Packing
15096	1284	8" x 12" x .040"	clear acetate	aluminum	24/box
15097	1284D	8" x 12" x .040"	dark green acetate	aluminum	24/box

Welding Goggles, Hard Hats & Sweatbands

Welding Goggles



3020 SH. 4: #20082; SH. 5: #20083

- Opaque soft vinyl goggle.
- 50 mm lens available in shades 4 and 5.



3022 SH. 4: #20090; SH. 5: 20091

- Same as 3020, with lift-front glassholder
- Lens available in shades 4 and 5.



3070 SH. 4: #20094; SH. 5: 20095

- Soft vinyl with 2" x 4½" plate.
- Available in shades 4 and 5.



3072 SH. 4: #20098; SH. 5: 20099

- Same as 3070 but with lift-front glassholder.
- Available in shades 4 and 5.



5002 SH. 4: #20107; SH. 5: 20108

- Cup goggle with 50 mm lens.
- Lens available in shades 4 and 5.



3080* SH. 4: #20102; SH. 5: #20103

- Rigid plastic with 2" x 4½" filterplate.
- Lens available in shades 4 and 5.

*Does not meet ANSI standards.

Ram Cap™ w/Ratchet

- Short peak design allows for greater upward vision.
- Universal slots for hearing, welding and faceshield accessories.
- Comfortable four-point nylon suspension with Coolmax® sweatband.
- Meets ANSI standards Z89.1.



Ram Cap™

Ratchet	Color	Pinlock
#50000	White	#50010
#50004	Red	#50014
#50001	Yellow	#50011
#50003	Hi-Viz Orange	#50013
#50002	Dark Blue	#50012
#50020	Replacement Suspension	#50021

Huntsman® DryBrow® Sweatbands



#45035

H22008

- Deluxe, full size (8½" long)
- Packaged 25/bag
- Individually sleeved for increased shelf life



#45036

H22010

- Deluxe clip-on, full-size (8½" long)
- Fits hard hats, welding helmets and sand blast hoods
- Packaged 25/bag



#45037

H22013

- Economically priced
- Full size (8½" long)
- Packaged 100/bag

To Use: Dip in cool water, remove excess water and place on forehead.



K1111 Knee-K-pads™ Part No. 80010

If your job requires that you kneel on hard surfaces, K1111 Knee-K-pads™ offer the protection and comfort you need.

- Durable, high-impact, injection-molded plastic outer shell.
- Articulated, two-piece construction with positive locking hinge pin.
- Thick foam inner pads.
- Wide adjustable straps for increased comfort.
- Textured surface for easy cleaning.
- No-mar outer wear pads.
- All parts are easily field replaceable.

Straps - #80011 Buttons for straps - #80013 Pads - #80012



Fog-Gon™

- Anti-fog, anti-static.
- Available in handy individual cleaning-cloth packages.
- ¼ and 2 oz. bottles with convenient spray top.
- Use on spectacles, goggles and visors.

¼ oz. dropper - #80005

2 oz. spray - #80006

½ oz. spray - #80008

Wipe cloth - #80007




870 Inspection Shield Part No. 45004

- Quality leather.
- Ideal for those who occasionally observe the welding process.

871 Part No. 45005

- Leather inspection shield same as 870 but with metal frame to protect glass.



Coolmax® Terrycloth Sweatband

Part No. 44999

- Absorbs perspiration
- Comfortable, durable & washable.

442-E Part No. #45031

- Vinyl sweatband.

442-F Part No. #45032

- Like 442E with snaps to fit other brands of helmets and headgear.

ANSI STANDARDS:

ANSI, the American National Standards Institute, is an independent organization responsible for writing the voluntary industry standards for OSHA compliance. Keep in mind that OSHA does not approve products (e.g., First Aid Kits) they provide the criteria necessary to meet ANSI standards.

ANSI Z87.1

- | | |
|---------------------|---------------|
| • Goggles | ANSI Z89.1 |
| • Spectacles | • Safety Caps |
| • Faceshields | ANSI S3.19 |
| • Helmets | • Hearing |
| • Electronic lenses | ANSI Z308.1 |
| | • First Aid |

CSA STANDARDS:

CSA, the Canadian Standards Association, certifies manufacturer's products or services. CSA tests products to meet their published requirements. CSA tests spectacles and goggles for impact resistance.

Z94.3

- Spectacles • Goggles
- Faceshields

LOW IMPACT - Product can withstand horizontal impact up to 14.0 + 0.5 m/s (59 ft./s).

APPENDIX B HIGH IMPACT - Product can withstand horizontal impact up to 18.0 + 0.5 m/s (152 ft/s).

CE (CONFORMITY EUROPE):

CE is the European Conformity Sign an expression that the Huntsman® product fulfills the legal requirements according to the directive 89/686/EES and is therefore allowed to be sold within the European community.

NIOSH:

- 42CFR84
- Respirators